

# Compatibility BIOMET<sup>®</sup> 3i<sup>®</sup> BA Serie OSSEOTITE<sup>®</sup> [ø3.4 / ø4.1 / ø5.0]

# INTRA-ORAL / DESKTOP / CONTACT PROBE SCAN BODY

Platform	Height (mm)	$\heartsuit$	ada
12.1	10	IPD/BA-SN-00	IPD/BA-SN-01
ø3.4	15	IPD/BA-SN-02	-
	10	IPD/AA-SR-00	IPD/AA-SR-01
ø4.1	15	IPD/AA-SR-02	-
15.0	10	IPD/BA-SW-00	IPD/BA-SW-01
ø5.0	15	IPD/BA-SW-02	-

Captive screw included. 1.20 Hex Screwdriver.

#### Ti-BASE (ipd) Custom Ti-Base System®

Platform	Height (mm)	$\heartsuit$	ada	
ø3.4	1.5	IPD/BA-IN-02/3D	IPD/BA-IN-03/3D	compa
	0.5	IPD/AA-IR-00/3D	IPD/AA-IR-01/3D	
ø4.1	1.5	IPD/AA-IR-02/3D	IPD/AA-IR-03/3D	
	2.5	IPD/AA-IR-04/3D	IPD/AA-IR-05/3D	
	0.5	IPD/BA-IW-00/3D	IPD/BA-IW-01/3D	
ø5.0 —	1.5	IPD/BA-IW-02/3D	IPD/BA-IW-03/3D	

High version of the non-engaging Custom Ti-Base subject to availability. Please see page 147 for the *(pd)* Custom Ti-Base System® accessories.

## SCREW / TPA SCREW FOR ANGLED PROSTHESIS

Platform	Screwdriver	Seat	Reference	<b>TiN Reference</b>		
	1.20 Hex	Conical	IPD/BA-TR-00	IPD/BA-TR-00/TIN	P 2	
	1.25 Hex	Conical	IPD/BA-TR-01	IPD/BA-TR-01/TIN		
ø3.4 ø4.1 ø5.0	Square	Flat	IPD/BA-TR-02	IPD/BA-TR-02/TIN		
	1.20 Hex	Low profile conical	IPD/AA-TR-01	IPD/AA-TR-01/TIN		
10/ 1/4 15 0	TDA	Conical	-	IPD/AA-TR-50		
ø3.4 ø4.1 ø5.0	TPA	Flat		IPD/AA-TR-52		-

Lengths 18/25/32 mm. Please see page 184 for more information.

BASN0

BASNOO

# **ANALOG / DIGITAL ANALOG**

Platform	Reference	Digital reference
Ø3.4	IPD/BA-AN-00	IPD/BA-AN-00/3D
Ø4.1	IPD/AA-AR-00	IPD/AA-AR-00/3D
ø5.0	IPD/BA-AW-00	IPD/BA-AW-00/3D
Bottom Screw	-	IPD/KA-TA-00
Side Screw	-	IPD/KA-TA-01



Platform	Height (mm)	Straight	17º	30°
	1.0	IPD/AB-MR-01	-	-
	2.0	IPD/AB-MR-02	IPD/AB-MR-12	-
ø4.1	3.0	IPD/AB-MR-03	IPD/AB-MR-13	IPD/AB-MR-33
	4.0	IPD/AB-MR-04	IPD/AB-MR-14	IPD/AB-MR-34
	5.0	IPD/AB-MR-05	-	IPD/AB-MR-35

Our straight Multi-units can be used for single and multiple restorations.

Please see page 157 for the Multi-unit system accessories.

# **TEMPORARY ABUTMENT / OPEN TRAY COPING**

Platform	$\heartsuit$		Coping screw
ø3.4	IPD/BA-PN-06	IPD/BA-PN-07	IPD/AA-TR-00/C
Ø4.1	IPD/AA-PR-06	IPD/AA-PR-07	IPD/AA-TR-00/C

The same abutment can be used as a temporary abutment with the occlusal screw or as an impression coping using the coping screw.

# **OPEN AND CLOSED TRAY COPING**

Platform		Reference
4/1	Open tray coping	IPD/AA-CR-00
¢4.1	Closed tray coping	IPD/AA-CR-01
ø5.0	Open tray coping	IPD/BA-CW-00

Classic design.

# STRAIGHT AND ANGLED ABUTMENT

Straight, 15° & 25°

Platform	Height (mm)	Angulation	$\bigcirc$	ala
		Straight	IPD/AA-PR-00	IPD/AA-PR-01
	4.0	15º	IPD/AA-PR-02	-
Ø4.1	1.0	250	IPD/AA-PR-03	-
		15º	IPD/AA-PR-04	-
	2.0	250	IPD/AA-PR-05	-



Using the low profile IPD/AA-TR-01 screw for IPD/AA-PR-03 is recommended.





#### STRAIGHT AND ANGLED CASTABLE ABUTMENT WITH A Co-Cr BASE Straight, 15° & 25°

Straight, 15	G 25			
Platform	Angulation	$\Box$	ana	
	Straight	IPD/BA-BN-00	IPD/BA-BN-01	
ø3.4	15º	IPD/BA-BN-10	IPD/BA-BN-11	
	25º	IPD/BA-BN-20	IPD/BA-BN-21	
	Straight	IPD/AA-BR-00	IPD/AA-BR-01	
ø4.1	15º	IPD/AA-BR-10	IPD/AA-BR-11	
	25º	IPD/AA-BR-20	IPD/AA-BR-21	
	Straight	IPD/BA-BW-00	IPD/BA-BW-01	
ø5.0	15º	IPD/BA-BW-10	IPD/BA-BW-11	
	25º	IPD/BA-BW-20	IPD/BA-BW-21	
Co-Cr Base for c	digital workflow			Scan Body
ø3.4	Straight / Angled	IPD/BA-BN-00/3D	IPD/BA-BN-01/3D	IPD/SC-AN-B1
ø4.1	Straight / Angled	IPD/AA-BR-00/3D	IPD/AA-BR-01/3D	IPD/SC-AN-B1
ø5.0	Straight / Angled	IPD/BA-BW-00/3D	IPD/BA-BW-01/3D	IPD/SC-AN-B1



All angled castable abutments include a TPA screw.

#### **PSD OVERDENTURE ABUTMENT**

Platform	Height (mm)	Reference	
	1.0	IPD/BA-LN-01	
ø3.4	3.0	IPD/BA-LN-03	
	1.0	IPD/AA-LR-01	
	2.0	IPD/AA-LR-02	
ø4.1	3.0	IPD/AA-LR-03	
	4.0	IPD/AA-LR-04	
	5.0	IPD/AA-LR-05	

Please see page 169 for the PSD system accessories.

### **HEALING ABUTMENT**

Platform	Height (mm)	Reference	
	2.0	IPD/BA-DN-02	
ø3.4	3.0	IPD/BA-DN-03	
	4.0	IPD/BA-DN-04	
	2.0	IPD/AA-DR-02	
4/1	3.0	IPD/AA-DR-03	
ø4.1	4.0	IPD/AA-DR-04	3 3
	5.0	IPD/AA-DR-05	t t
	2.0	IPD/BA-DW-02	
ø5.0	3.0	IPD/BA-DW-03	
	4.0	IPD/BA-DW-04	

## CASTABLE

CASTABLE		
Platform	$\heartsuit$	
ø4.1	IPD/AA-HR-00	IPD/AA-RR-00
ø5.0	IPD/BA-HW-00	IPD/BA-RW-00

